

TRADITION SINCE 1956

 A SWISS COMPANY

H700 SMART

MANUAL

BON'ECO

Lesen und behalten Sie diese Anleitung
Read and save these instructions



VOICE CONTROL WITH
GOOGLE HOME™ AND
AMAZON ALEXA™





DE Beachten Sie unbedingt alle Sicherheitshinweise (separat im Lieferumfang enthalten).

EN Always observe all safety notes (included separately in delivery).

DE	Gebrauchsanweisung	4
EN	Instruction for use	37

INSTRUCTIONS FOR USE

TABLE OF CONTENTS


Overview and part names	40
Technical specifications	41
Introduction	42
Relief from allergies	42
Valuable information about humidity and air quality	42
Availability of accessories	42
Items included	42
Starting up	43
Operation on the device	46
About operation on the device	46
AUTO mode	46
Adapted AUTO mode	46
Switching on and off	46
Manual control	47
Indicators on the display	48
The various operating modes	49
Hybrid mode ("Hybrid")	49
Humidification only ("Humidifier")	49
Purification only ("Purifier")	49

The various comfort modes	50
Comfort modes	50
AUTO mode	50
SLEEP mode	50
BABY mode	50
Child-safety lock	50
Defining the desired humidity	51
Perfect humidity	51
Controlling desired humidity	51
Regulating the fan level	51
Aroma compartment	52
Basics	52
Use	52
The benefits of the BONECO SMART App	53
About the BONECO SMART App	53
Scope of services	53
Download App	54
Pairing with the BONECO H700 SMART	55
First pairing	55
WiFi reset	55

Notes on cleaning	56
About cleaning	56
Recommended cleaning intervals	56
Descaling	57
About descaling	57
Getting ready	57
Starting the descaling	58
Cleaning and maintenance	59
Important notes	59
Water tank	59
Water tray	59
Drum	60
AH700 Evaporator Mat (handwashing)	60
AH700 Evaporator Mat (washing machine)	60
General cleaning	61
Cover	61
Pre-filter	61
A681 HYBRID Filter	61
Filter holder	62
Fan blade	62
Housing	62
Use of AH705 Silencing Grease	63
Particle sensor	63
Assembling the appliance	63

Replacing the accessories	64
About the A681 HYBRID Filter	64
Replacing the A681 HYBRID Filter	64
Deleting a notice in the app	64
Deleting a notice on the appliance	64
About the A7017 Ionic Silver Stick®	65
Replacing the A7017 Ionic Silver Stick®	65
Deleting a notice in the app	65
Deleting a notice on the appliance	65
About the AH700 Evaporator Mat	66
Replacing the AH700 Evaporator Mat	66
Notes on operation and troubleshooting	67
Factory default settings	68
About the factory default settings	68
Resetting the appliance	68
Declaration of conformity	69

en OVERVIEW AND PART NAMES



LEGEND

- | | |
|----|---------------------------------|
| 1 | Front cover |
| 2 | Pre-filter |
| 3 | A681 HYBRID Filter |
| 4 | Filter holder |
| 5 | Drum |
| 6 | AH700 Evaporator Mat* |
| 7 | A7017 Ionic Silver Stick® |
| 8 | Knob, On/Off, performance level |
| 9 | Water tank |
| 10 | Aroma compartment |
| 11 | Water tray |
| 12 | Fan blade |
| 13 | Power supply |

* Washable in the washing machine up to 40 °C (104 °F)

TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICATIONS *

Type designation	BONECO H700 SMART	
Power supply voltage	100-240 V ~ 50/60 Hz	
Power consumption	Standby:	< 0.5 W
	Level 1:	2.6 W
	Level 6:	26.5 W
Humidity output	up to 1000 g/h **	6.4 gal/day **
Particle CADR	190 m ³ /h	112 CFM
Recommended for rooms	up to 150 m ² / 375 m ³	up to 1615 sq ft / 13 200 cu ft
Water capacity	10 liters	2.64 gal
Dimensions L × W × H	448 × 347 × 490 mm	17.6 × 13.7 × 19.3 in
Weight (empty)	10.7 kg	23.6 lbs
Operation noise level	25 - 47 dB(A) ***	

* Subject to change

** For operation without A681 HYBRID Filter depending on temperature and humidity

*** At 230 V ~ 50 Hz / Measured according to BONECO standard

INTRODUCTION

Congratulations on your purchase of the BONECO H700 SMART. Its hybrid design cleans and humidifies room air in one step. Its smart control system keeps operating noise level to a minimum, even allowing you to use the BONECO H700 SMART in a bedroom or baby's room.

The BONECO H700 SMART is designed for convenient, fully automated operation. However, you can adjust all of its features according to your preferences and requirements. This manual shows you how you can create your own comfortable climate.

RELIEF FROM ALLERGIES

The BONECO H700 SMART is equipped with a triple filter system that rids the air of odors as well as dust, pollen and contaminants. The A681 HYBRID Filter also effectively alleviates many forms of discomfort caused by allergies, such as hay fever or allergic reactions to dust mites and household dust.

VALUABLE INFORMATION ABOUT HUMIDITY AND AIR QUALITY

The right humidity is very important for our health. Dry room air in winter leads to skin that cracks and itches. It makes your eyes and throat feel dry while significantly affecting physical comfort. Not only does this affect adults, it is especially true for babies, small children and even pets. Dry mucous membranes in winter also make us more prone to colds and other infections.

The BONECO H700 SMART makes these problems a distant memory. Its intelligent automatic controls always keep the air clean and the humidity at the ideal level, even in large rooms with an area of up to 150 square meters (1615 square feet).

Regardless of whether it is summer or winter: Once you've experienced this new level of comfort, you'll never want to go back.

AVAILABILITY OF ACCESSORIES


You can obtain replacements for worn-out accessories as well as additional accessories from:

- Your BONECO specialist dealer,
- At www.boneco.com or
- Directly via the BONECO SMART App.

ITEMS INCLUDED




BONECO H700 SMART
with A681 HYBRID Filter




Power supply




Quick Manual



Safety instructions



A7417 "CalcOff" cleaning and
descaling powder



A7017 Ionic Silver Stick®

STARTING UP




1 Remove the front cover.



2 Take off the filter holder along with the filters.




3 Remove the water tank.



4 Pull out the water tray along with the drum.



5 Clean the water tank and water tray.



6 Insert the water tray with the drum into the appliance.



7 Insert the water tank filled with tap water.



8 Insert the filter holder.



9 Take off the pre-filter.



10 Remove the protective covering of the A681 HYBRID Filter.



11 Insert the new A681 HYBRID Filter (observe the direction of the arrow).



12 Insert the pre-filter.

13



Reattach the front cover.

14



Connect the power supply to the BONECO SMART appliance.

15



Plug the power supply into a power outlet.

16



Briefly press the knob to switch on the appliance.

OPERATION ON THE DEVICE

ABOUT OPERATION ON THE DEVICE

The operation of the device works conveniently by the knob on the top of the unit. The BONECO SMART App offers additional, extensive options for control and automation of the BONECO SMART appliance.

AUTO MODE

If you have never operated the BONECO SMART Appliance with the BONECO SMART App and switch it on for the first time, it starts up in AUTO mode. The appliance is preset to a target relative humidity of 50 percent. The performance level is automatically adapted to the current humidity and air pollution: The drier or more polluted the air, the higher the performance level.

If the preset target humidity is exceeded, the appliance switches to standby mode, which is indicated by the pulsating LED.



If the humidity drops below the set level or the air quality decreases, the BONECO SMART Appliance resumes operation.

ADAPTED AUTO MODE


If you have already operated the BONECO SMART Appliance with the BONECO SMART App and set a different humidity, that value is automatically taken over when the appliance is switched on.

SWITCHING ON AND OFF

1. Briefly press the knob once to switch on the BONECO SMART Appliance.



You can identify active AUTO mode by the small LED that lights up above the knob.



2. To switch off the BONECO SMART Appliance while it is in AUTO mode, briefly press the knob once.

MANUAL CONTROL


1. Briefly press the knob once to switch on the BONECO SMART Appliance.



2. Adjust the output to your needs by setting the knob to the desired level from 1 to 6. This action exits AUTO mode (AUTO LED is off).



The selected performance level is indicated by the number of LEDs that light up above the knob.




3. Briefly press the knob once to exit manual mode and to reactivate AUTO mode.
4. Briefly press the knob once more to switch off the BONECO SMART Appliance.




If you exit AUTO mode, the BONECO SMART Appliance will continue at the selected performance level until the water tray is empty, regardless of what the current level of humidity is.


INDICATORS ON THE DISPLAY



Overview of all indicators on the display



Indicator for air purity




Indicator for humidity

Symbol	Meaning	
47%	Current humidity	51
4h	Indicator for duration of descaling	57
AIR ⁺	„Purifier“ mode is active	49
☾☾	“Humidifier” mode is active	49
☑	Calendar is activated	49
LC	Child-safety lock is activated	49
PA [®]	WiFi pairing	55
Fd	Factory default settings	68

Symbol	Required action	
	Refill the water	44
	Change the water in the appliance	43
	Replace A7017 Ionic Silver Stick®	64
	A681 HYBRID Filter used up, replace	64
	A681 HYBRID Filter missing, insert	61
	Cleaning required	57
	Cleaning mode active	58
	Calendar disabled - check the device connection	53

THE VARIOUS OPERATING MODES

HYBRID MODE ("HYBRID")



The BONECO SMART Appliance combines two functions.

- The A681 HYBRID Filter cleanses breathing air of pollen, household dust and fine particles.
- The AH700 Evaporator Mat humidifies the room air.

You achieve the best results when the BONECO SMART Appliance is humidifying and purifying the air at the same time. Nevertheless it is possible to use just one of the two functions.



In "Hybrid" mode the LEDs are lit white


HUMIDIFICATION ONLY ("HUMIDIFIER")



We recommend using the BONECO SMART appliance with inserted AH681 HYBRID filter. In order to operate the appliance without the HYBRID filter, simply remove the filter from its holder and use the BONECO SMART App to switch to "Humidifier" mode.


When you remove the AH681 HYBRID filter, the maximum humidifier performance increases because you achieve a better air passage.

When you switch to „Hybrid“ or „Purifier“ operation mode in the BONECO SMART App, the following symbol flashed on the display if no AH681 HYBRID filter is inserted:




In "Humidifier" mode the LEDs are lit blue

PURIFICATION ONLY ("PURIFIER")



If you only want to use the purifying effect of the AH681 HYBRID filter, switch the BONECO SMART appliance to "Purifier" operating mode using the BONECO SMART App and remove the water from the appliance.

When you switch to „Hybrid“ or „Humidifier“ operation mode in the BONECO SMART App, the following symbol flashed on the display if the water tank is empty:



In "Purifier" mode the LEDs are lit green

THE VARIOUS COMFORT MODES

COMFORT MODES

There are three different comfort modes available in each of the three "Hybrid", "Purifier" and "Humidifier" operating modes: AUTO, SLEEP and BABY.

AUTO MODE

In AUTO mode, the BONECO H700 SMART uses all of the fan levels between 1 and 5. The preset humidity is 50%.

SLEEP MODE

In SLEEP mode, the BONECO H700 SMART can even be used in a bedroom at night. The appliance automatically operates at the lowest fan level of 1 to keep operating noise to a minimum. The preset humidity is 45%.

BABY MODE

The BABY mode uses fan levels 1 through 4 and increases the humidity to 60%. This value is ideal for use in a nursery or baby's room since higher humidity is recommended for babies and small children. The fan also operates quietly enough that it will not trigger a baby monitor.

CHILD-SAFETY LOCK

The BONECO H700 SMART can be set to prevent accidental adjustments. Use this function to prevent unintentional input, for example, from children playing near the appliance.

The child-safety lock is switched on and off using the BONECO SMART App.



If the knob is operated after the LOCK function has been activated through the BONECO SMART App, the LEDs and the display flash 3× in quick succession. If the appliance has been switched off through the BONECO SMART App, the "LC" (LOCK) notice flashes 3× on the display.

DEFINING THE DESIRED HUMIDITY

PERFECT HUMIDITY

The recommended humidity level is between 40% and 60%. The default setting is 50%.

The humidity you set then stays saved if you switch off the appliance.



CONTROLLING DESIRED HUMIDITY

The desired humidity can be adjusted through the BONECO SMART App.

REGULATING THE FAN LEVEL

The fan level can be regulated in two ways:

- Use the knob.



- Adjust the fan level in the BONECO SMART App.

AROMA COMPARTMENT

BASICS

Inside the BONECO H700 SMART there is a aroma compartment for adding fragrances in the form of essential oils.



This aroma compartment is made of a special material. Never add essential oils and other fragrances directly into the water tank or water tray. It only takes a small amount to damage the appliance irreparably. Such damage is not covered by the warranty.

USE

1. Remove the front cover.



2. Remove the filter holder along with the filter.



3. Sprinkle the fragrance of your choice into the aroma compartment.



4. Reinsert the filter holder and front cover.



THE BENEFITS OF THE BONECO SMART APP

ABOUT THE BONECO SMART APP

The "BONECO healthy air" app is used for enhanced control of the BONECO SMART Appliance and lets you take full advantage of its potential. The app includes functions such as a timer, a humidity preset and the option to switch between various programs. In addition, it provides reminders for the cleaning intervals and other recurring tasks.



SCOPE OF SERVICES

Operating modes	"Hybrid"	The air is cleaned and humidified at the same time
	"Purifier"	The air is cleaned, but not humidified
	"Humidifier"	The air is humidified, but not cleaned
Programs		Predefined settings for frequent situations
	AUTO mode	The appliance uses fan levels from 1 to 5 and has a preset target humidity of 50%
	SLEEP mode	The appliance uses fan level 1 only and increases the target humidity to 45%
	BABY mode	The appliance uses fan level 1 through 4 and increases the humidity to 60%

Hygostat	Defining the desired humidity
Manual dimming	Setting the brightness of the display and of the LEDs above the knob
Calendar	In the BONECO SMART App you can store up to 10 timers. These can be set individually with regard to the desired target humidity and performance level.
History	Overview of measured data at various time periods
Accessories and consumables	Provides support in replacement orders and further information
Child-safety lock	Buttons on the device are locked and cannot be changed
SMART Sensor Connection	BONECO H700 SMART can be connected with an external smart sensor from BONECO to control the device

Voice control



VOICE CONTROL WITH
GOOGLE HOME™ AND
AMAZON ALEXA™

DOWNLOAD APP



OR




PAIRING WITH THE BONECO H700 SMART

FIRST PAIRING

To pair the SMART device with the BONECO SMART App for the first time, please follow these steps:

1. Make sure that your smartphone is connected to the WiFi network where the device is being set up.
2. Make sure that Bluetooth® is activated on your smartphone.
3. During pairing, make sure that the smartphone is in the same room as the BONECO SMART Appliance.
4. Switch on the BONECO SMART Appliance.
5. The device enters pairing mode automatically upon startup if it hasn't been connected to a WiFi network before. Pairing mode is indicated by the flashing WiFi symbol on the display:



6. Start the BONECO SMART App.
7. Add the device in the BONECO SMART App.


After a successful pairing, you can control the BONECO SMART Appliance from anywhere using your smartphone with a mobile internet connection.

WiFi RESET

To reset the connection to an existing WiFi network and connect to a new WiFi network, please follow these steps:

1. Make sure that your smartphone is connected to the WiFi network where the device is being set up.
2. Make sure that Bluetooth® is activated on your smartphone.
3. During pairing, make sure that the smartphone is in the same room as the BONECO SMART Appliance.
4. Switch on the BONECO SMART Appliance.

5. Press and hold the knob for about 5 seconds, until **EL** and then **PA**® flashes on the display:



6. Confirm the WiFi Reset with a short press of the knob.
7. The device now switches off. Switch the device on again and the flashing WiFi symbol on the display indicates, that the device is now in pairing mode.
8. Start the BONECO SMART App.
9. Add the device in the BONECO SMART App.

NOTES ON CLEANING

ABOUT CLEANING

Regular maintenance and cleaning are necessary for trouble-free and hygienic operation.

Recommended cleaning and maintenance intervals vary depending on air quality, water quality and operating time.

A soft cloth, dish detergent and a scrub brush are recommended for cleaning by hand.

An upcoming need for cleaning is indicated on the display with this symbol:



RECOMMENDED CLEANING INTERVALS

Interval	Action
After the third day without operation	Empty water tray and water tank and fill with fresh water
Every 2 weeks	Clean water tray, drum and AH700 Evaporator Mat
	Clean the pre-filter
As needed	Descalc the appliance
Annually	Replace A7017 Ionic Silver Stick®
	Replace A681 HYBRID Filter
	Clean the fan and the inner area of the appliance
After 2 years	Replace AH700 Evaporator Mat

DESCALING

ABOUT DESCALING

The default setting for the descaling time is 4 hours. In most cases, you can achieve very good results in this time. The maximum duration of descaling is 12 hours.

- Shorten the duration of descaling if the BONECO H700 SMART is only slightly dirty.
- Lengthen the duration of descaling if the BONECO H700 SMART is very dirty.
- After each descaling, it is absolutely necessary to clean the interior parts (see the next page).

 Be sure to remove the A7017 Ionic Silver Stick® before the descaling process.

NEED MORE HELP?

Watch our video guide:



GETTING READY

1. Remove the front cover and the water tank on the rear side.
2. Remove the filter holder together with the filter.



3. Pull the water tray out and remove the drum with the AH700 Evaporator Mat.



4. Empty the water tray and water tank and remove the A7017 Ionic Silver Stick®.



5. Set the drum back into the water tray and put the appliance back together by following the steps in reverse order.

STARTING THE DESCALING

1. Fill the tank halfway with hot tap water and add two packets of A7417 CalcOff. Insert the water tank and wait until the water tray is full.
2. Start the descaling mode by pressing and holding the knob for 5 seconds until the "CL" symbol is flashing on the display.



3. Briefly press the knob once. The duration of descaling is displayed.
4. Change the duration of descaling as needed using the knob.



5. Briefly press the knob again to start the descaling process.

The appliance then descales itself automatically. The remaining duration of descaling is shown on the display. During the cleaning process, this icon is also shown:



Once descaling is complete, the cleaning symbol on the display disappears automatically and the following flashing symbol indicates that the water in the appliance has to be replaced:



6. Change the water in the water tank and in the water tray.

CAUTION: In order for the water change icon to be automatically cleared, the water in the water tray must be changed.

CLEANING AND MAINTENANCE

IMPORTANT NOTES

Use a cleaning brush and a damp cloth for cleaning. Always add a small amount of dishwashing detergent to the hot water.

 Always unplug the BONECO H700 SMART from the power outlet before you start cleaning or doing maintenance! Failure to do so can result in electric shock and fatal injury!

 Clean the inside of the BONECO H700 SMART regularly; otherwise mold can form, which is harmful to health.

 Do not use alcohol or corrosive cleaning agents for cleaning.

 Do not clean the BONECO H700 SMART in a dishwasher. High temperatures can deform the parts and make them unusable. This damage is not covered by the warranty.

WATER TANK

1. Fill the water tank halfway with hot water and add a small amount of dishwashing detergent.
2. Thoroughly clean the inside of the water tank by hand or with a suitable cleaning brush.



3. Also clean the cover.



WATER TRAY

1. Pull the water tray out of the BONECO H700 SMART.



2. Remove the drum with the AH700 Evaporator Mat.
3. Remove the A7017 Ionic Silver Stick® and the rollers.



4. Clean the water tray and all of the parts inside. These can be removed for cleaning.

DRUM

1. Take the AH700 Evaporator Mat out of the drum.



2. Wash the drum with detergent and a cleaning brush.



3. Thoroughly rinse the drum with hot water.

AH700 EVAPORATOR MAT (HANDWASHING)

1. Thoroughly wash and tumble the AH700 Evaporator Mat with hot water and dishwashing detergent.



2. Continue to rinse out the AH700 Evaporator Mat in clean hot water until foam no longer forms.
3. Right after the washing cycle, insert the washed AH700 Evaporator Mat into the cleaned drum.

AH700 EVAPORATOR MAT (WASHING MACHINE)

The AH700 Evaporator Mat can be cleaned in the washing machine. Uses any commercially available detergent. We recommend putting the AH700 Evaporator Mat into a laundry bag or washing it separately because it will collect loose fibers from other pieces of laundry otherwise.

 The AH700 Evaporator Mat may not be washed at a temperature higher than 40 °C (104 °F).

 Do not dry the AH700 Evaporator Mat in the clothes dryer.

When inserting the AH700 Evaporator Mat into the drum after cleaning, make sure it is positioned correctly:



GENERAL CLEANING

COVER

1. Remove the cover.



2. Clean the cover with a damp cloth.



PRE-FILTER

Clean the pre-filter using a vacuum cleaner or wash it under running water with a cleaning brush.



 Do not put the pre-filter back in until it is dry. Humidity can have an adverse effect on the quality of the A681 HYBRID Filter beneath it.

A681 HYBRID FILTER

The A681 HYBRID Filter cannot be cleaned. Dirt is normal and shows that the filter is working.



FILTER HOLDER

1. Remove the filter holder.



2. Clean the filter holder with a damp cloth.

**FAN BLADE**

1.  Never remove the retaining screw in order to take off the fan blade! A weight imbalance during reassembly could cause excessive noise or could even damage the motor.



1. Clean the fan blades with a damp cloth.

**HOUSING**

1. Clean the inside of the housing with a damp cloth, hot water and dishwashing detergent.



USE OF AH705 SILENCING GREASE

After an extended period of operation, you may start hearing unwanted noise created by the rollers in the water tray. Use the provided AH705 Silencing Grease to lubricate the rollers (recommended after every cleaning of the water tray).

1. Take off the front cover.
2. Remove the AH705 Silencing Grease in the cover.



3. Apply 1 drop of AH705 Silencing Grease directly to each of the holders.



AVAILABILITY OF ACCESSORIES

You can obtain replacements for worn-out accessories as well as additional accessories from:

- Your BONECO specialist dealer,
- At www.boneco.com or
- Directly via the BONECO SMART App.

NEED MORE HELP?

Watch our video guide:



PARTICLE SENSOR

The particle sensor detects the amount of dirt in the air in the room by analyzing a passing air flow. Over time, dirt can accumulate and affect measuring accuracy.

 The flap over the particle sensor has to be closed during operation to ensure the measurement is correct. It should only be opened to clean the sensor.

1. Clean the sensor lens using a damp cotton swab.



2. Dry the sensor with a dry cotton swab.

ASSEMBLING THE APPLIANCE

Once cleaning is complete, you can put the BONECO H700 SMART back together. When doing so, pay attention to how the AH700 Evaporator Mat fits.



REPLACING THE ACCESSORIES

ABOUT THE A681 HYBRID FILTER

The A681 HYBRID Filter has to be changed after about one year to ensure that dirt and pollen continue to be filtered from the air.

The display indicates a pending need to replace the A681 HYBRID Filter with the following symbol:



Replacing the A681 HYBRID filter is described according to the figures in the chapter "Starting up" (see page 44).

AVAILABILITY OF ACCESSORIES

You can obtain replacements for worn-out accessories as well as additional accessories from:

- Your BONECO specialist dealer,
- At www.boneco.com or
- Directly via the BONECO SMART App.

NEED MORE HELP?

Watch our video guide:



REPLACING THE A681 HYBRID FILTER

1. Remove the front cover of the BONECO H700 SMART.
2. Take off the pre-filter.
3. Remove the used A681 HYBRID Filter and dispose of it with your regular household waste.
4. Remove the protective foil from the new A681 HYBRID Filter.
5. Insert the A681 HYBRID Filter into the holder as shown on the label.
6. Reinsert the pre-filter and the front cover.

DELETING A NOTICE IN THE APP

The  notice can be deleted from the display in the BONECO SMART App.

DELETING A NOTICE ON THE APPLIANCE

The  notice can also be deleted on the appliance.

1. Press and hold the knob for three seconds until the "CL" notice flashes on the display.
2. Use the knob to select the  symbol.
3. Briefly press the knob to confirm the selection.

The notice is deleted.

ABOUT THE A7017 IONIC SILVER STICK®

The A7017 Ionic Silver Stick® uses the antimicrobial effect of silver for a significant improvement of water hygiene. It is effective as soon as water comes into contact with it – even if the BONECO SMART Appliance is switched off.

Replace the A7017 Ionic Silver Stick® annually to guarantee antimicrobial effectiveness. The display indicates a pending need to replace the A7017 Ionic Silver Stick® with the following symbol:



AVAILABILITY OF ACCESSORIES

You can obtain replacements for worn-out accessories as well as additional accessories from:

- Your BONECO specialist dealer,
- At www.boneco.com or
- Directly via the BONECO SMART App.

NEED MORE HELP?

Watch our video guide:




REPLACING THE A7017 IONIC SILVER STICK®

1. Take off the front cover.
2. Remove the water tank on the rear side.
3. Remove the filter holder.



4. Pull the water tray out and remove the drum.



5. Remove the used A7017 Ionic Silver Stick®



6. Insert the new A7017 Ionic Silver Stick®.
7. Put the parts back together by following the steps in reverse order.

 Return the used A7017 Ionic Silver Stick® to the point of sale or an approved waste disposal facility.

DELETING A NOTICE IN THE APP

The  notice can be deleted from the display in the BONECO SMART App.

DELETING A NOTICE ON THE APPLIANCE

The  notice can also be deleted on the appliance.

1. Press and hold the knob for three seconds until the "CL" notice flashes on the display.
2. Use the knob to select the  symbol.
3. Briefly press the knob to confirm the selection.

The notice is deleted.

ABOUT THE AH700 EVAPORATOR MAT

The washable AH700 Evaporator Mat has to be replaced after about two years of use.

AVAILABILITY OF ACCESSORIES

You can obtain replacements for worn-out accessories as well as additional accessories from:

- Your BONECO specialist dealer,
- At www.boneco.com or
- Directly via the BONECO SMART App.

NEED MORE HELP?

Watch our video guide:



REPLACING THE AH700 EVAPORATOR MAT

1. Remove the water tank on the rear side.
2. Remove the filter holder together With the filter on the front side.
3. Pull the water tray out and remove the drum with the AH700 Evaporator Mat.
4. Remove the AH700 Evaporator Mat from the drum and dispose of it with your regular household waste.
5. When inserting the new AH700 Evaporator Mat into the drum, make sure it is positioned correctly:



NOTES ON OPERATION AND TROUBLESHOOTING

Problem	Possible cause	Action
Air has an unpleasant odor	Stagnant water in the tank and water tray	Empty and thoroughly clean the appliance
No improvement in air quality	Particle sensor is dirty	Clean the particle sensor
	Open windows or doors	Close windows and doors
Display shows Error E2	Fan blade blocked or motor is defective	Unplug the appliance, check that the fan blade can turn freely, plug the appliance back in; contact a service center if the problem persists
Display shows Error E3	Drum blocked or motor is defective	Unplug the appliance, check that the drum can turn freely, plug the appliance back in; contact a service center if the problem persists
Display more frequently shows symbol for water change	Water has been in the water tray for more than 3 days without operation	Empty the appliance if it is only operating in the air purification mode
	Water was not changed after cleaning (see page 58)	Change water after each cleaning (see page 58)
Water change symbol does not go out	The device was switched off for the water change	Keep the device switched on for the procedure of water change
Refill water symbol does not clear (in humidifier or hybrid mode)	Water tank empty	Fill water tank
	Floater is stuck or not properly attached	Remove floater and reattach (must be easy to move without jamming)
Appliance cannot be operated via the BONECO SMART App.	The device is offline	Check the network connection
Status LED pulses	The desired humidity has been reached	If required, increase the desired humidity level
Current display flashes if operation is attempted	The child lock is activated	Disable the child lock function in the app
Display remains dark	The brightness of the LEDs has been heavily reduced in the app	Increase the brightness of the LEDs in the app

FACTORY DEFAULT SETTINGS

ABOUT THE FACTORY DEFAULT SETTINGS

If your BONECO SMART Appliance control system does not function the way you are expecting, or if you would like to delete all adjustments, you can reset the appliance to the factory settings. This deletes all adjustments and settings.

 After the reset, the BONECO SMART Appliance has to be paired with the smartphone again so that the control system can continue working with the app (see page 55).

RESETTING THE APPLIANCE

Press and hold the knob until the "Fd" (Factory default) notice appears on the display. The device switches off automatically. Now the BONECO SMART Appliance is in the same state as when it was first started.

The image shows the characters 'Fd' in a stylized, digital font, representing the factory default notice on the appliance's display.

DECLARATION OF CONFORMITY

SIMPLIFIED EU DECLARATION OF CONFORMITY

BONECO hereby declares that this device meets the essential requirements of the following EU-Directives:

2014/53/EU Radio Equipment Directive (RED)

2011/65/EU Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment

The complete declaration of conformity can be found at www.boneco.com.

 /boneco.healthy.air.official
 /boneco_healthyair
 /airoswissboneco
 /company/boneco-healthy-air

BONECO AG
Esenstrasse 85
9443 Widnau
Switzerland

00800 8595 8595
www.boneco.com
service@boneco.com

 REVIEW US



BONECO

83275-01